

Dave O'Mara Contractor, Inc. 1100 East O & M Avenue, PO Box 1139 North Vernon, Indiana 47265 www.daveomara.com

Phone: 812.346.4135 www.daveomara.com Fax: 812.346.6305

DATE: August 13, 2020

TO: Subcontractors and Suppliers

RE: Scottsburg Readiness Center (Armory) Parking Expansion

IFB No.: MDI-SAB-20-B-0010

BID DATE: Thursday, September 10, 2020

Our firm plans to bid this contract as a prime contractor. We are inviting quotations from contractor/supplier firms that might be interested in working with us on this project.

The following items **MAY** be quoted:

- -Trucking of aggregate and materials
- -Clearing of right of way
- -Sub-grade treatment
- -Reinforcing steel
- -Reinforced concrete paving, shoulder & concrete patching
- -Fencing and gates erosion control
- -Construction signs, barricades, flashing arrows
- -Field office leasing
- -Traffic signals and lighting

considered

- -Construction Engineering
- -Guardrail
- -Right of way markers
- -Surface seal
- -Miscellaneous concrete
- -Seeding, sodding and
- -Surface milling
- -Pavement markings
- -Other items may be

Plans have been added to our *ftp site* for your viewing and consideration. You can find a link to our *ftp site* by visiting our website, http://daveomara.com. From there, click on "projects", "all bidding projects", "2020 projects."

Quotations should be submitted on or before 12:00pm, noon, Wednesday, September 9, 2020.

Please email your quote to our estimating department: tammym@daveomara.com AND/OR you may fax your proposal to 812.346.6305.

Questions regarding the project may be directed to the estimator: David Boswell davidb@daveomara.com

If you require additional information, please contact our Estimating Department at 812.346.4135.

Please complete, sign, date and return by fax to 812.346.6305 or by email to tamikah@davaomara.com.

BUSINESS NAME:

CONTACT PERSON:

DATE:

ARE YOU QUOTING?: Yes or No

If so, will you be using UNION labor? Yes or No

Our Company is a certified: DBE / WBE / MBE / VBE / OTHER subcontractor/supplier.

Please indicate type of certification (or if none, please mark N/A):

UNIT PRICES: The Bidder shall submit "Unit Prices" in the fol	lowing schedule for all items	below:
ITEM DESCRIPTION Provide additional clearing and grubbing of vegetation beyond the indicated construction limits, including removal of debris from the site, final grading of the disturbed areas, and permanent turf seeding and mulching.	UNIT QUANTITY SY	\$
UNIT PRICE 2: Unsuitable Soils Replacement		
ITEM DESCRIPTION Excavate unsuitable soils and provide engineered backfill including material, compaction, and testing per specifications.	UNIT QUANTITY CY	\$
UNIT PRICE 3: Lime Stabilization		
ITEM DESCRIPTION Provide lime stabilization of existing subgrade soils under proposed pavement areas per specifications.	UNIT QUANTITY SY	\$
UNIT PRICE 4: Stone Pavement		
ITEM DESCRIPTION Provide heavy-duty stone pavement per the drawings and specifications.	UNIT QUANTITY SY	\$

UNIT PRICE 5: Light Duty Flex Pavement

ITEM DESCRIPTION	UNIT QUANTITY	
Provide regular-duty asphalt pavement per	SY	\$
the drawings and specifications.		

UNIT PRICE 6: Heavy Duty Flex Pavement

ITEM DESCRIPTION Provide heavy-duty asphalt pavement per the drawings and specifications.	UNIT QUANTITY SY \$
UNIT PRICE 7: Rigid Pavement	
ITEM DESCRIPTION Provide heavy-duty concrete pavement per the drawings and specifications.	UNIT QUANTITY SY \$
UNIT PRICE 8: 12" Drainage Pipe	
ITEM DESCRIPTION Provide 12" dia. RCP drainage pipe with a burial depth between 3 feet and 6 feet, including excavation, bedding, and compacted granular backfill.	UNIT QUANTITY LF \$
UNIT PRICE 9: 15" Drainage Pipe	
ITEM DESCRIPTION Provide 15" dia. RCP drainage pipe with a burial depth between 3 feet and 6 feet, including excavation, bedding, and compacted granular backfill.	UNIT QUANTITY LF \$
UNIT PRICE 10: 18" Drainage Pipe	
ITEM DESCRIPTION Provide 18" dia. RCP drainage pipe with a burial depth between 3 feet and 6 feet, including excavation, bedding, and compacted granular backfill.	UNIT QUANTITY LF \$

UNIT PRICE 11: Graded Drainage Ditch

Describe and defect on defect of the	UNIT QUANT	IIY
Provide graded drainage ditch with a depth between 2 feet and 4 feet below existing ground grade and 4:1 side slopes, including excavation, erosion blanket, and permanent turf seeding.	LF	\$
UNIT PRICE 12: Chain Link Fencing		
ITEM DESCRIPTION Provide chain link fencing per the plans and specifications.	UNIT QUANTIT LF	SY \$
ALTERNATES: ALTERNATES:		
Alternate No. 1 – OMV ACCESS DRIVES PAVEME pavement. Provide flush concrete curb edge restraint at a abuts asphalt pavement. Drawings depicting ABI-1 inclufollowing:	Il locations where ston	e pavement
SITE LAYOUT PLAN - ALTERNATE BID ITEMS, SH SITE LAYOUT DETAILS, SHEETS CL501 & CL502.	HEET CL102.	
Add \$ Deduct \$ No	Change \$	
Add \$ Deduct \$ No Alternate No. 2 - CONCRETE PAD FOR DUMPSTE pavement for dumpster pad. Drawings depicting ABI-2 in following:	ERS: Provide heavy-du	
Alternate No. 2 – CONCRETE PAD FOR DUMPSTE pavement for dumpster pad. Drawings depicting ABI-2 in	ERS: Provide heavy-dunclude, but are not lim	
Alternate No. 2 – CONCRETE PAD FOR DUMPSTE pavement for dumpster pad. Drawings depicting ABI-2 is following: SITE LAYOUT PLAN - ALTERNATE BID ITEMS, SE	ERS: Provide heavy-dunclude, but are not lime	
Alternate No. 2 – CONCRETE PAD FOR DUMPSTE pavement for dumpster pad. Drawings depicting ABI-2 is following: SITE LAYOUT PLAN - ALTERNATE BID ITEMS, SESITE LAYOUT DETAILS, SHEET CL501.	ERS: Provide heavy-dunclude, but are not limed. HEET CL102. Change \$ IVES: Provide all side urb, use thickened walk, the following:	ited to, the